Cruciferous CompleteTM

Cruciferous Complete Contains Organically Grown, Minimally Processed Kale and Brussels Sprouts

Research demonstrates that cruciferous vegetables, such as kale and Brussels sprouts, contain important phytonutrients that help protect against free radicals, the highly unstable molecules that can damage cells and genetic material. Cruciferous vegetables are nutrient-dense foods packed with many essential vitamins, minerals, and antioxidants. They also contain important health-promoting nutrients like carotenoids and other phytochemicals that stimulate enzymatic activity to support liver detoxification.†

How Cruciferous Complete Keeps You Healthy

Furnishes many nutrients to support health

Cruciferous Complete contains kale and Brussels sprouts which contain a broad spectrum of micronutrients including vitamins C, and K, dietary fiber, copper, calcium, vitamin B_6 , and potassium. A class of plant pigments, called carotenoids, is also found in crucifers. These pigments, including beta-carotene and lutein, serve important roles within the body. Beta-carotene is a precursor to vitamin A, while lutein is found in abundance in the retina of the eye. Carotenoids and other phytochemicals also have antioxidant properties and can protect cells from damage of excess reactive oxygen species.†

Provides antioxidant support

The health-promoting phytochemicals in cruciferous vegetables protect cells against free radical damage and have been shown in the laboratory to alter the metabolic pathways responsible for the metabolism of hormones in cultured cells and in mice.†

Induces liver detoxification enzymes

Cruciferous vegetables contain highly active phytochemicals called glucosinolates. In the laboratory in cell cultures and in mice, products left from the breakdown of glucosinolates stimulate the Phase I and Phase II liver enzymes, two biochemical pathways in the liver involved in converting toxins into harmless substances that can easily be excreted from the body.†



Introduced in: 1998 Content: 90 Capsules Vegetarian Product

Supplement Facts: Serving Size: 1 capsule Servings per Container: 90		
		%DV
Calories	3	
Vitamin K	4 mcg	4%
Potassium	10 mg	<1%
Kale	300 mg	
Brussels sprouts	300 mg	

Other Ingredients: Gelatin, water, calcium stearate, and colors.

Suggested Use: One capsule per day, or as

directed.

Sold through health care professionals.



Cruciferous CompleteTM

What Makes Cruciferous Complete Unique

Product Attributes

Ingredients are derived from whole-food sources

▶ Each capsule supplies 300 mg each of organically grown kale and Brussels sprouts

Certified Organic Farming

A healthy ecosystem is created by using organic farming techniques, such as rotating crops, fertilizing the soil with nutrient-rich cover crops and byproducts from our processing, practicing strict weed control standards, and continually monitoring the health of our plants

- Assures the soil is laden with minerals and nutrients
- Ensures plants are nutritionally complete and free from synthetic pesticides

Unique Processing

Upon harvesting, nutrient-rich plants are immediately washed and promptly processed

Preserves nutritional integrity

Low-temperature, high-vacuum drying technique

▶ Preserves the enzymatic vitality and nutritional potential of ingredients

Not disassociated into isolated components

▶ The nutrients in Cruciferous Complete are processed to remain intact, complete nutritional compounds

Degreed microbiologists and chemists in our on-site laboratories continually conduct bacterial and analytical tests on raw materials, product batches, and finished products

► Ensures consistent quality and safety

Vitamin and mineral analyses validate product content and specifications

▶ Assures high-quality essential nutrients are delivered

Whole Food Philosophy

Our founder, Dr. Royal Lee challenged common scientific beliefs by choosing a holistic approach of providing nutrients through whole foods. His goal was to provide nutrients as they are found in nature-in a whole food state where he believed their natural potency and efficacy would be realized. Dr. Lee believed that when nutrients remain intact and are not split from their natural associated synergists-known and unknown-bioactivity is markedly enhanced over isolated nutrients. Following this philosophy, even a small amount of a whole food concentrate will offer enhanced nutritional support, compared to an isolated or fractionated vitamin. Therefore, one should examine the source of nutrients rather than looking at the quantities of individual nutrients on product labels.

Studies on nutrients generally use large doses and these studies, some of which are cited below, are the basis for much of the information we provide you in this publication about whole food ingredients. See the supplement facts for Cruciferous Complete^T

Auborn, K. J., Fan, S., Rosen, E. M., Goodwin, L., Chandraskaren, A Williams, D. E., et al. (2003). Indole-3-carbinol is a negative regulator of

estrogen. J Nutr, 133(7 Suppl), 2470S-2475S.
Hecht, S. S. (1999). Chemoprevention of Cancer by Isothiocyana Modifiers of Carcinogen Metabolism. J. Nutr., 129(3), 768. Hecht, S. S. (2000). Inhibition of carcinogenesis by isothiocyanates. Drug

Metab Rev, 32(3-4), 395-411.
Holick, C. N., Michaud, D. S., Stolzenberg-Solomon, R., Mayne, S. T Pietinen, P., Taylor, P. R., et al. (2002). Dietary carotenoids, serum beta carotene, and retinol and risk of lung cancer in the alpha-tocopherol, beta-carotene cohort study. *Am J Epidemiol*, 156(6), 536-547. Holst, B., Williamson, G. (2004). A critical review of the bioavailability of

glucosinolates and related compounds. Nat Prod Rep, 21(3), 425-447. Institute of Medicine Food and Nutrition Board. (2000). Beta-carotene and other carotenoids. In *Dietary reference intakes for vitamin C, vitamin E, selenium, and carotenoids* (pp. 325-400). Washington D.C.: National Academy Press.

International Agency for Research on Cancer. (1998). IARC Handbooks of Cancer Prevention: Carotenoids. Lyon: International Agency for

Johnston, N. (2004). Sulforaphane halts breast cancer cell growth. Drug Discovery Today, 9(21), 908.

Keck, A.-S., & Finley, J. W. (2004). Cruciferous Vegetables: Cancel

Protective Mechanisms of Glucosinolate Hydrolysis Products and

Selenium. Integr Cancer Ther, 3(1), 5-12.

Krinsky, N. I., Landrum, J. T., & Bone, R. A. (2003). Biologic mechanisms of the protective role of lutein and zeaxanthin in the eye. Annu Rev Nutr,

Kristal, A., Lampe JW. (2002). Brassica vegetables and prostate cancer risk: a review of the epidemiological evidence. *Nutr Cancer*, 42(1), 1-9. Liu, R. H. (2004). Potential Synergy of Phytochemicals in Cancer Prevention:

Mechanism of Action. J. Nutr., 134(12), 3479S-3485.

ares-Perlman, J. A., Millen, A. E., Ficek, T. L., & Hankinson, S. E. (2002).

The body of evidence to support a protective role for lutein and zeaxanthin

in delaying chronic disease. Overview. *J Nutr*; 132(3), 518S-524S. Munday, R., & Munday, C. M. (2004). Induction of phase II detoxification enzymes in rats by plant-derived isothiocyanates: comparison of ally! isothiocyanate with sulforaphane and related compounds. J Agric Food Chem, 52(7), 1867-1871.

Olson, J. A. (1999). Carotenoids and human health. *Arch Latinoam Nutr*, 49(3 Suppl 1), 7S-11S. Rao, A. V., & Rao, L. G. (2007). Carotenoids and human health. *Pharmacol*

Bes. 55(3), 207-216.

Telang, N. T., Katdare, M., Bradlow, H. L., Osborne, M. P., & Fishman, J. (1997). Inhibition of proliferation and modulation of estradiol metabol novel mechanisms for breast cancer prevention by the phytochemical

indole-3-carbinol. *Proc Soc Exp Biol Med*, 216(2), 246-252. van Poppel, G., Verhoeven, D. T., Verhagen, H., & Goldbohm, R. A. (1999). Brassica vegetables and cancer prevention. Epidemiology and mechanisms. Adv Exp Med Biol, 472, 159-168.

arhoeven, D. T., Goldbohm, R. A., van Poppel, G., Verhagen, H., van den Brandt, P. A. (1996). Epidemiological studies on Brassica vegetables and cancer risk. *Cancer Epidemiol Biomarkers Prev*, 5(9), 733-748.

Walters, D. G., Young, P. J., Agus, C., Knize, M. G., Boobis, A. R., Gooderham, N. J., et al. (2004). Cruciferous vegetable consumptic alters the metabolism of the dietary carcinogen 2-amino-1-methyl-6-phenylimidazo[4,5-b]pyridine (PhIP) in humans. Carcinogenesis 25(9), 1659-1669

Young, A. J., & Lowe, G. M. (2001). Antioxidant and prooxidant properties of carotenoids. *Arch Biochem Biophys*, 385(1), 20-27. Zhang, Y. (2004). Cancer-preventive isothiocyanates: measurement of

human exposure and mechanism of action. *Mutat Res*, 555(1-2) 173-190. Ziegler, R. G. (1989). A review of epidemiologic evidence that carotenoids

reduce the risk of cancer. J Nutr. 119(1), 116-122.

